

HI-SPEED USB 2.0 SHARING SWITCH USER MANUAL

MODEL 160735



MAN-160735-UM-0208-03

Thank you for purchasing the MANHATTAN® Hi-Speed USB 2.0 Sharing Switch, Model 160735.

Installation

Before installing the switch, make sure all computers and peripherals to be connected are turned off.

1. Connect up to four computers to the PC1-4 ports on the switch (cables included).
2. Connect the device port on the switch to the selected USB device.
3. Power on the computer(s) and the connected USB device.

Operation

This switch draws its power from the computer(s). Any connected USB device will link to the first connected computer that's on.

Select button: Press the Select button (located on the top of the switch) to cycle through up to four connected computers.

LEDs: The corresponding LED of whichever one of the four PC ports is connected to the USB device will be lit. (Only one LED will light at any given time.) **NOTE:** A flashing LED indicates that the corresponding port is processing a redirect command and is not yet ready for activity.

Hot Key Control (PCs only): When the switch isn't within easy reach to press the Select button, the Hot Key function can be used: On your keyboard, press the Scroll Lock key twice (within 2 seconds) to redirect the USB device to the next PC port and its connected computer.

- If the next port is not connected or is connected to a computer that's turned off, the Select button will need to be used instead.
- Do not use the Hot Key shortcut to redirect the USB device to a PC in Sleep mode or if a PC's corresponding LED is flashing.
- If the connected USB device is a storage device (such as a hard drive or CDRW), make sure the second computer completes the job in progress.



Specifications

Standards and Certifications

- USB 1.1
- USB 2.0
- EHCI
- UHCI
- OHCI
- CE
- FCC

General

- Data transfer rate up to 12 Mbps
- Cypress chipset
- USB bus powered
- Switch control: keyboard hotkey (PC only); top-mount push button, (PC and Mac)
- 4 LED active port indicators
- 4 USB type B female ports, upstream
- 1 USB type A female port, downstream
- 4 USB type A male to type B male cables, 1.8 m (6 ft.)
- Compatible with Windows 2000/XP/Vista and Mac OS 10 or above

Physical

- Dimensions: 119 x 84 x 21 mm (4.6 x 3.3 x 1 in.)
- Weight: 120 g (4.25 oz.)
- Housing material: plastic

Environmental

- Operation temperature: 0 – 50° C
- Storage temperature: -20 – 60° C
- Humidity: 0 – 80%, non-condensing

Package Contents

- Hi-Speed USB 2.0 Sharing Switch, 4x1 Ports, Dual Control
- USB cables
- User manual



MANHATTANTM

BRINGING COMPUTERS TO LIFE

MANHATTAN[®] offers a complete line
of PC Components, Peripherals, Cables and Accessories.

Ask your local computer dealer for more information
or visit us online at

www.manhattan-products.com

Copyright © MANHATTAN

All products mentioned are trademarks or registered trademarks of their respective owners.